





# Prices\*

	MVS Codes	WLTP Combined g/km	CO2 g/km	Retail Ex Vat Price	VRT	Vat @ 23%	Retail Price
PANEL VANS							
		SWB 650kg 2 **Sne	Seat Man cial Ordei				
Smartphone cradle	510 02L 2 N15	TBC	TBC	€20,159	€200	€4,636	€24,995
Tecnico	510 02L 2 N15	142	5.4	€21,378	€200	€4,917	€26,495
		SWB 650kg 3	Seat Man	ual 100hp			
Smartphone cradle	510 02L 2 N16	TBC	TBC	€21,378	€200	€4,917	€26,495
Tecnico	510 02L 2 N12	143	5.5	€22,598	€200	€5,197	€27,995
Tecnico Plus	510 02L 2 N17	139	5.3	€23,411	€200	€5,384	€28,995
	SV	VB 650kg 3 S	eat Autor	natic 130hp			
Tecnico	510 02K 2 N12	148	5.6	€24,874	€200	€5,721	€30,795
Tecnico Plus	510 02K 2 N17	147	5.6	€25,687	€200	€5,908	€31,795
	S	WB 1000kg 3	Seat Mar	nual 100hp			
Smartphone cradle	510 12L 2 ***	TBC	TBC	€21,785	€200	€5,010	€26,995
Tecnico	510 12L 2 N12	143	5.5	€23,004	€200	€5,291	€28,495
Tecnico Plus	510 12L 2 ***	143	5.6	€23,817	€200	€5,478	€29,495
LWB 1000kg 3 Seat Manual 100hp							
Smartphone cradle	510 32L 2 ***	TBC	TBC	€22,598	€200	€5,197	€27,995
Tecnico	510 32L 2 N12	147	5.6	€23,817	€200	€5,478	€29,495
Tecnico Plus	510 32L 2 ***	ТВС	TBC	€24,630	€200	€5,665	€30,495



#### $\equiv$ DOBLO

# Equipment

	STANDARD	TECNICO	TECNICO PLUS
<b>COMFORT AND CONVENIENCE</b>			
Air conditioning, Manual	•	•	•
Cruise control with variable speed limiter	•	•	•
Dusk sensors	•	•	•
Electric Power Steering	•	•	•
Electric windows, one-touch operation	•	•	•
Enhanced Suspension LWB	•	•	•
Heated, Electrically adjustable door mirrors	•	•	
Heated, Electrically adjustable door mirrors, Power Folding	-	-	•
Height adjustable driver's seat with lumbar support	•	•	•
Parking brake, Electric (3 Seat Only)	•	•	•
Parking brake, Manual (2 Seat Only)	•	•	•
Rain sensing wipers	-	-	•
Rear parking sensors	•	-	-
Rear parking sensors + Magic View (Rear Camera)	-	•	•
INTERIOR			
1 closed cooled glove compartment in the upper part on the passenger side	•	•	•
1 opened glove box passenger side	•	•	•
6 universal tie bracket points on lower loading area	•	•	•
Curitiba Fabric Seats	•	•	•
Dashboard grained in Mistral black	•	•	•
Foamed Steering Wheel & Audio controls on steering wheel	•	•	•
Hard plastic floor covering cargo area	-	-	•
MAGIC CARGO: Passenger bench seat (double) & writing table with multipurpose centre seat (shelf, seat, armrest, storage, headrest) and lateral versatile seat for long payload	•	•	•
Open storage in front of the cluster	•	•	•

#### $\equiv$ DOBLO

# Equipment

	STANDARD	TECNICO	PLUS
<b>TECHNOLOGY AND ENTERTAIN</b>	MENT		
Digital Entry Cluster in black and white	•	-	-
Smartphone Station with DAB radio and voice recognition smartphone (1 smartphone only) + dedicated app for customers	•	-	-
10" colour digital cluster	-	•	•
10" screen IVI MID, Wifi Mirroring, smartphone voice recognition, 2 USB C (1 x data, 1 x charge)	-	•	•
12 volt socket in lower dash	•	•	•
2 speakers	•	•	•
EXTERIOR			
15" steel wheels with centre cap (650KG)	•	•	-
16" steel wheels with centre cap (1000KG)	•	•	-
16" wheels with full Fiat logo wheel cover	-	-	•
Body colour rear bumper	-	-	•
Daytime Running Lights (DRL) integrated in headlights	•	•	•
Eco LED headlamps	-	-	•
Flat blade wiper with manual magic wash system	•	•	•
Full steel bulkhead with load through hatch (3 seat ) with Clothes Hook x 2	•	•	•
Near Side Sliding side door (Twin sliding side doors on LWB versions)	•	•	•
Newly designed front and rear bumpers	•	•	•
Newly designed Front and rear Fiat Logo	•	•	•
Newly designed Headlamps	•	•	•
Newly designed Radiator grille	•	•	•
Newly designed Upper fascia on front of vehicle	•	•	•
Sliding door rail trim body colour painted	_	-	•
Shiny black mirror caps and side protectors	-	-	•
Twin rear doors 1/3 (right) - 2/3 (left), opening to 180°	•	•	•

#### □ DOBLO

# Equipment

	STANDARD	TECNICO	TECNICO PLUS
SAFETY			
Advanced Emergency Braking System (AEBS)	•	•	•
Automatic Door Locking on Driving, for all doors with Deadlocking	•	•	•
Coffee break alert	•	•	•
Driver & Passenger seatbelt warning	•	•	•
Driver Attention Alert	•	•	•
Driver's airbag	•	•	•
Intelligent Speed Assist	•	•	•
Passenger airbags	•	•	•
Remote central locking with deadlocking x 2 keys	•	•	•
Seatbelts with pretensioner – driver double action	1 •	•	•
Seatbelts with pretensioner – passenger simple action	•	•	•
Spare Wheel	•	•	•
Tyre Pressure Monitoring System (TPMS)	•	•	•

	STANDARD	TECNICO	TECNICO PLUS
SWB - LWB DIFFERENCES			
15" steel wheels with centre cap	650 SW		-
16" steel wheels with centre cap	1,000KG SWB / LWB		-
16" wheels with full Fiat logo wheel cover	-		1,000KG SWB / LWB
Near Side Sliding side door		SWB	
Twin Side sliding side doors		LWB	
Standard Suspension		SWB	
Enhanced Suspension		LWB	



### Colours









#### Wheels



15" steel wheels with half hubcap

Standard on Doblo 650kg



16" steel wheels with half hubcap


Standard on Doblo 1000kg



16" black steel wheels with fullsize hubcap

Standard on Tecnico Plus

#### Interiors





## Technical Diesel Engine

	Dieser Engine	
	100hp	130hp AT
ENGINE		
Fuel system	Diesel – High pressure turb	o-charged direct injection
Capacity (cc)	149	99
Cylinders / Valves	4 cylinders, 4 valves per cylinde	er, double overhead camshafts
Max power CEE (kW (hp)/rpm)	75 (102) / 3,750	96 (131) / 3,750
Max torque CEE (Nm (lb/ft)/rpm)	250 (184) / 1,750	300 (221) / 1,750
Bore and stroke (mm)	75 x 8	84.8
Euro status	Euro	6EA
Stop & Start system	✓	
Service Interval	40,000 kilometres or 2 years	(whichever occurs sooner)
TRANSMISSION		
Gearbox	Manual	Automatic*
Number of gears	6	8
Driven wheels	Fro	nt
PERFORMANCE		
Max speed (kph)	103	114
STEERING		
Speed-se Turning circle (kerb-to-ker	ensitive electric power–assisted sy: b) – 10.8m (35.4 ft) L2 models, 11	stem .4m (37.4 ft) L3 models
SUSPENSION		
	MacPherson struts with gas-pres	ssure dampers and linear-rate
Front	coil spr Anti-ro	
Rear	7	sure dampers and constant-rate
	coil	springs
BRAKES		
Front	283mm Venti	
Rear	268mm So	lid discs
TANK CAPACITY		
Fuel tank capacity Litres (gallons)	50 (1	1)
AdBlue tank capacity Litres (gallons)	17 (3	.7)

<sup>\*</sup>Replacing the traditional lever, the Automatic transmission selection-mode dial/drive wheel is an innovative solution that is both elegant and intuitive. By simply twisting the dial, the following modes can be selected:

- Park, for when the vehicle is stationary and the wheels are locked

- Drive, for Automatic forward motion

Neutral, for when the vehicle is stationary, wheels are free

- Reverse, for Automatic backward motion



# Weights & Loads\*

	MVS	Codes	Gross Vehicle Weight kg	Mass Runni Order	ng   <sup>K</sup>	erb Weight kg	Max Payload kg
PANEL VANS							
	SWB	650kg 2	Seat Manua	al 100hp			
Smartphone cradle	510 0	2L 2 N15	2,020	1,44	6	1,470	649
Tecnico	510 0	2L 2 N15	2,020	1,44	6	1,470	649
	SWB	650kg 3	Seat Manua	al 100hp			
Smartphone cradle	510 0	2L 2 N16	2,040	1,46	8	1,496	647
Tecnico	510 0	2L 2 N12	2,040	1,46	8	1,499	647
Tecnico Plus	510 0	2L 2 N17	2,040	1,46	8	1,496	647
	MVS Codes	Max Plated Front Axle kg	Max Plated Rear Axle kg	Gross Train Weight kg	Max Brake Tow Weight		ed Max
PANEL VANS							
	SWB	650kg 2	Seat Manua	al 100hp			
Tecnico	510 02L 2 N15	1,200	1,200	3,370	1,35	50 710	74
Tecnico Plus	510 02L 2 N15	1,200	1,200	3,370	1,35	50 710	74
SWB 650kg 3 Seat Manual 100hp							
Smartphone cradle	510 02L 2 N16	1,200	1,200	3,390	1,35	730	74
Tecnico	510 02L 2 N12	1,200	1,200	3,390	1,35	730	74
Tecnico Plus	510 02L 2 N17	1,200	1,200	3,390	1,35	730	74



## Weights & Loads\*

	MVS Cod	es	Gross Vehicle Weight kg	Mass Runni Order	ng   Ker	b Weight kg	Max Payload kg
PANEL VANS							
	SWB 650k	g 3 S	eat Automa	tic 130hp			
Tecnico	510 02K 2	N12	2,050	1,49	4	1,524	631
Tecnico Plus	510 02K 2	N17	2,050	1,49	4	1,521	631
	SWB 100	0kg 3	Seat Manu	al 100hp			
Smartphone cradle	510 12L 2	) ***	2,390	1,48	3	1,513	982
Tecnico	510 12L 2	N12	2,390	1,48	3	1,513	982
Tecnico Plus	510 12L 2	) ***	2,390	1,48	3	1,513	982
	MVS Codes PI	Nax ated ront Ie kg	Max Plated Rear Axle kg	Gross Train Weight kg	Max Braked Tow Weight k		ed Towball
PANEL VANS							
	SWB 650k	g 3 S	eat Automa	tic 130hp			
Tecnico	510 02K 2 N12 1	,200	1,400	3,400	1,350	730	74
Tecnico Plus	510 02K 2 N17 1	,200	1,400	3,400	1,350	730	74
SWB 1000kg 3 Seat Manual 100hp							
Smartphone cradle	510 12L 2 *** 1	,200	1,400	3,390	1,000	730	74
Tecnico	510 12L 2 N12 1	,200	1,400	3,390	1,000	730	74
Tecnico Plus	510 12L 2 *** 1	,200	1,400	3,390	1,000	730	74



# Weights & Loads\*

	MVS Codes	Gross Vehicle Weight kg	Mass in Running Order kg	Kerb Weight kg	Max Payload kg
PANEL VANS					
	LWB 1000kg 3	3 Seat Manual	100hp		
Smartphone cradle	510 32L 2 ***	2,400	1,539	1,596	936
Tecnico	510 32L 2 N12	2,400	1,539	1,596	936
Tecnico Plus	510 32L 2 ***	2,400	1,539	1,596	936

	MVS Codes	Max Plated Front Axle kg	Max Plated Rear Axle kg	Gross Train Weight kg	Max Braked Tow Weight kg	Max. Unbraked Tow Weight kg	Towball
PANEL VANS							
	LWB	1000kg 3	Seat Manu	al 100hp			
Smartphone cradle	510 32L 2 ***	1,200	1,400	3,430	1,030	750	74
Tecnico	510 32L 2 N12	1,200	1,400	3,430	1,030	750	74
Tecnico Plus	510 32L 2 ***	1,200	1,400	3,430	1,030	750	74



## **Exterior Dimensions**

	Panel Van		
	L1	L2	
EXTERIOR DIMENSIONS (mm)			
Wheelbase	2,785	2,975	
Overall length	4,403	4,753	
Overall height	1,796 - 1,860	1,812 - 1,860	
Width (excluding door mirrors)	1848		
Width (including door mirrors)	2,107		
Front overhang	892		
Rear overhang	726	886	
Ground Clearance	145 (SWB 650kg) 160 (SWB 1,000kg)	160 (LWB)	

DOOR DIMENSIONS (mm)	
Min. width of side sliding door	641
Max. width of side sliding door	675
Max. load height of side sliding door	1,072
Max. width of rear opening	1,241
Load width at floor of rear opening	1,241
Load width at top of rear opening	1,087
Maximum load height of rear opening	1,196



## **Interior Dimensions**

	L1	L2
PANEL VAN (mm)		
Load length at mid-height	1,525	1,875
Load length at floor (without load-through bulkhead)	1,817	2,167
Load length at floor (with load-through bulkhead open)	3,090	3,440
Load width between wheel arches		1,229
Maximum load width (one SLD only)		1,630
Maximum load width (SLD both sides)		1,527
Maximum load height	1,200	1,270
Load volume m3 (without load-through bulkhead)	3.3	3.9
Load volume m3 (with load-through bulkhead open)	3.8	4.4
Rear sill load height min to max	547 - 588	560 - 569
Rear sill load height min to max (with Worksite Pack)	601 - 625	604 - 617

